

# SAFETY DATA SHEETS

According to the UN GHS revision 10

## 1: Identification

### 1.1 GHS Product identifier

**Product name** Samarium

### 1.2 Other means of identification

**Product number** 7440-19-9

**Other names** Samarium

### 1.3 Recommended use of the chemical and restrictions on use

**Identified uses** Industrial and scientific research use.

**Uses advised against** no data available

### 1.4 Supplier's details

**Company** Zhongshan Greenrock Technology Co., Ltd.

**Address** No. 138, Jinsan Avenue, Sanjiao Town, Zhongshan City, Guangdong Province, China

**Telephone** +86-2087066781

### 1.5 Emergency phone number

**Emergency phone number** +86-2087066781

**Service hours** Monday to Friday, 9am-5pm (Standard time zone: UTC/GMT +8 hours).

## 2: Hazard identification

### 2.1 Emergency Overview

Hazardous substances may spontaneously ignite in air or generate flammable gases in contact with water, posing a risk of fire and explosion. Strictly avoid contact with air, water, or moisture.

### 2.2 GHS Classification

Flammable solids : Category 1

Flammable solids : Category 2

Substances and mixtures which in contact with water, emit flammable gases : Category 2

Substances and mixtures which in contact with water, emit flammable gases : Category 3

### 2.3 GHS label elements, including precautionary statements

**Pictogram(s)****Signal word**

Danger

**Hazard statement(s)**

H228 Flammable solid

H261 In contact with water releases flammable gas

**Precautionary statement(s)****Prevention**

P210 Keep away from heat, hot surface, sparks, open flames and other ignition sources. No smoking.

P223 Do not allow contact with water.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof [electrical/ventilating/lighting/.../] equipment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...

P231+P232 Handle and store contents under inert gas/... Protect from moisture.

**Response**

P302+P335+P334 Brush off loose particles from skin. Immerse in cool water [or wrap in wet bandages].

P370+P378 In case of fire, Use ... to extinguish.

**Storage**

P402+P404 Store in a dry place. Store in a closed container.

**Disposal**

P501 Dispose of contents/container to ...

## 2.4 Physical and chemical

Pyrophoric substances can spontaneously heat up and combust in air. Hydrous substances, when exposed to water or moisture, release flammable gases (such as hydrogen and acetylene), which, reaching a certain concentration, can explode. Some reactions also release heat, increasing the risk of fire.

## 2.5 Health hazards

The combustion process releases toxic gases (such as carbon monoxide and phosphine) that can cause poisoning by inhalation. High temperatures can cause burns. Some of the released gases are toxic in themselves and may cause suffocation or poisoning.?

## 2.6 Environmental hazards

Combustion products may pollute the air and water. Released flammable gases will disperse quickly, but an explosion could damage the surrounding environment. Some substances are highly toxic to aquatic life.

## 2.7 Other hazards which do not result in classification

no data available

# 3: Composition/information on ingredients

## 3.1 Substances

| Chemical name | Common names and synonyms | CAS number | EC number | Concentration |
|---------------|---------------------------|------------|-----------|---------------|
| Samarium      | Samarium                  | 7440-19-9  | 231-128-7 | 99%           |

## 4: First-aid measures

### 4.1 General advice

Immediately move away from fire/heat sources. If the substance spontaneously combusts, use dry powder fire extinguisher to extinguish the fire (do not use water). Carry the substance SDS document, record the exposure situation, and seek medical attention as soon as possible. Materials that release gas when exposed to water (such as calcium phosphide) should be kept away from humid environments.

### 4.2 If inhaled

Move to a dry, ventilated place and keep the airway open. If you inhale flammable gases (such as hydrogen) or toxic gases (such as phosphine), immediately inhale oxygen. If you experience dizziness or nausea, seek medical attention immediately and monitor your blood oxygen saturation.

### 4.3 In case of skin contact

If you come into contact with self-igniting substances, immediately cover the fire with dry sand, remove the remaining particles with tweezers, and rinse with plenty of running water for 15 minutes; if there is a burn, cover it with sterile gauze and avoid applying ointment.

### 4.4 In case of eye contact

Immediately remove the foreign body with a dry cotton swab, then rinse with saline for 15 minutes; wear a light-proof eye mask after rinsing, avoid rubbing, and go to an ophthalmologist as soon as possible.

### 4.5 If swallowed

Do not induce vomiting. If the patient is conscious, give paraffin oil orally (to lubricate the intestines and reduce damage). Bring the substance SDS and seek medical attention immediately to monitor for gas embolism.

### 4.6 Most important symptoms and effects, both acute and delayed

Acute symptoms include skin burns, dizziness, nausea, and difficulty breathing. When the gas-releasing substance comes into contact with the skin, hydrogen bubbles (subcutaneous emphysema) may form. Long-term effects include inhalation of phosphine, which may cause pulmonary fibrosis.

### 4.7 Protection of first-aiders

Rescuers must wear fireproof and chemical protective clothing, anti-static gloves, and positive pressure air respirators; carry dry powder fire extinguishers when handling substances that release gas when exposed to water, and avoid contact with rain/sweat.

### 4.8 Notes to physician

Inform the physician of the substance type (spontaneous combustion/gassing upon contact with water) and route of exposure; monitor the patient's lungs (e.g., chest X-ray to check for pulmonary edema);

## 5: Fire-fighting measures

### 5.1 Unsuitable extinguishing media

Spontaneous combustion substances: Do not use water or foam (which may intensify spontaneous combustion or cause explosion); Substances that release flammable gases when in contact with water: Do not use any water-containing fire extinguishing agents (such as spray water or foam), which may produce flammable gases such as hydrogen and acetylene.

## **5.2 Specific hazards during fire fighting**

Pyrophoric substances will spontaneously ignite when they come into contact with air, burn quickly, and can easily cause chain fires; substances that release gas when exposed to water react with water/humid air to release flammable gases, which can easily explode when the explosion limit is reached; some products are also toxic.

## **5.3 Hazardous combustion products**

Carbon monoxide, carbon oxides; substances that release gas when in contact with water may release additional hydrogen (explosive), phosphine (highly toxic), hydrogen sulfide (highly toxic), etc.

## **5.4 Specific extinguishing methods**

Cover small areas with dry powder/dry sand (to isolate the air), evacuate large areas, and allow the fire to burn (to avoid exacerbating the risk of improper fire extinguishing). For substances that release gas when exposed to water: cover the leak point with dry sand and soil, strictly prohibit contact with rain/humid environment, use dry powder to extinguish the fire (if it has already burned), and monitor the concentration of flammable gas at the same time.

## **5.5 Special protective equipment for fire-fighters**

Wear fireproof and chemical protective clothing, anti-static gloves, and positive pressure air respirator; carry a flammable gas detector (to measure explosion limits); wear waterproof boots when working with materials that release gas when exposed to water to avoid skin contact with leaks.

# **6: Accidental release measures**

## **6.1 Protective measures for workers**

Wear fireproof protective clothing, chemical protective gloves (flame-resistant type), and a gas mask (with a flammable gas filter cartridge); if the substance releases gas when in contact with water, additional waterproof clothing and waterproof boots are required, and carry a dry powder fire extinguisher.

## **6.2 Environmental protection measure**

Spontaneous combustion substances: prevent contact with air (to avoid spontaneous combustion), use dry powder to extinguish fire when burning (water is strictly prohibited); substances that release gas when exposed to water: set up waterproof cofferdams, strictly prohibit contact with rainwater/groundwater, and monitor gas concentration (to prevent explosion).

## **6.3 Containment methods for leaked chemicals**

Spontaneous combustion substances: small amounts should be placed in sealed metal containers with nitrogen protection; large amounts should be covered with dry sand and transferred to inert gas storage facilities; substances that release gas when exposed to water: collect them in dry, corrosion-resistant containers and add desiccant (anhydrous calcium chloride).

## **6.4 Cleanup methods for chemical spills**

Spontaneous combustion materials: Use spark-free tools to transfer in a dry environment to avoid oxygen enrichment; Materials that release gas when exposed to water: After being absorbed by dry sand and soil, transfer in a water-free environment. Handling in rainy days is strictly prohibited.

## **6.5 Measures to prevent the spread of leaks**

Designate a 20-meter isolation zone and prohibit entry of water or wet items; set up waterproof trenches for materials that release gas when exposed to water; strengthen ventilation (explosion-proof fans) to prevent flammable gases from reaching explosion limits.

## **6.6 Container leakage treatment**

Minor leaks: seal with dry sealant; serious leaks: evacuate immediately, prevent pyrophoric substances from self-igniting, keep substances that release gas when in contact with water away from water sources, and notify a professional team to handle the situation.

## **6.7 Special considerations**

Spontaneous combustion substances must continuously monitor the temperature (to prevent self-heating); substances that release gas when in contact with water must not be rinsed with water; in case of skin contact, wipe with a dry cloth and then clean with a neutral detergent; containers must be dried and tested before being discarded.

# **7: Handling and storage**

## **7.1 Safe storage conditions**

Store in a dry, moisture-proof dedicated warehouse (relative humidity  $\leq 40\%$ ), equipped with a dehumidifier (dehumidification capacity  $\geq 2\text{kg/h}$ ); the container for pyrophoric substances is a sealed metal can (such as tin-plated steel) with a built-in desiccant (anhydrous calcium chloride, dosage  $\geq 5\%$  of the container volume); the floor of the warehouse for substances that release gas when exposed to water should be raised by  $\geq 30\text{cm}$  to prevent rainwater from flowing back.

## **7.2 Storage precautions**

It is strictly forbidden to store it in the same warehouse with water or wet items (such as wet rags and oxygen cylinders); self-igniting substances must be stored separately and away from oxidizers (isolation distance  $\geq 2$  meters); check the humidity and temperature in the warehouse daily, and self-igniting substances must be equipped with a temperature alarm (alarm threshold  $\geq 30^\circ\text{C}$ ); use explosion-proof tools when handling to avoid sparks generated by friction.

## **7.3 VCI Storage Grade**

Level 2 (medium-high): VCI rust inhibitor (such as barium petroleum sulfonate) is sprayed on the surface of metal containers to prevent corrosion in humid environments; VCI gas phase monitoring points are set up in the warehouse to ensure that the VCI concentration is  $\geq 0.05\text{mg/m}^3$  to prevent reactions caused by container leakage.

## **7.4 Recommended storage temperature**

$20\text{--}30^\circ\text{C}$ , strictly prohibited from exceeding  $35^\circ\text{C}$ ; self-igniting materials must be kept at a temperature  $\geq 30^\circ\text{C}$  to prevent self-heating; materials that release gas when in contact with water must be kept warm in winter (temperature  $\geq 10^\circ\text{C}$ ) to prevent the container material from becoming brittle due to low temperature (if the

label has a recommended storage temperature, follow the label).

## 7.5 Handling

For precautions see Safety Data Sheet section 2

Advice on safe handling : Work under hood. Do not inhale substance/mixture.

## 8: Exposure controls/personal protection

### 8.1 Respiratory protection

When exposed to self-igniting substances or products that release gas when in contact with water, wear a filtering gas mask (APF?10); switch to a positive pressure air respirator when the concentration is high.

### 8.2 Recommended Filter type

For gases that release toxic gases when in contact with water, choose Type E+K composite filter cartridge (protects against acidic gases + ammonia); for dust-like self-igniting substances, choose Type P3 filter cotton to ensure a filtration efficiency of ?99.95%.

### 8.3 Eye/face protection

Wear impact-resistant goggles + protective mask. The mask must protect against heat radiation (when self-igniting substances are burning) and the lenses must be fog-proof to prevent sparks from splashing into the eyes.

### 8.4 Skin and body protection

Wear fireproof and chemical protective clothing with a flame-retardant outer layer (such as aramid material) and a chemical-resistant inner layer (nitrile coating); trouser legs should be tucked into chemical-resistant boots, and a fire blanket should be provided as a backup.

### 8.5 Hand protection

Wear fireproof and chemical-proof gloves with a flame-retardant outer layer and a chemical-proof inner layer. The glove length should be ? 25cm to avoid contact with self-igniting substances that may cause burns.

### 8.6 Hygiene measures

Wash your skin immediately after work, especially any areas that have come into contact with substances that release gas when in contact with water, and wipe it dry with a dry towel (to avoid secondary reactions caused by moisture); check your clothes for any residual self-igniting substances and only wash them after confirming they are safe.

## 9: Physical and chemical properties and safety characteristics

|                |                     |
|----------------|---------------------|
| Physical state | silvery grey powder |
| Colour         | no data available   |

|                                                                 |                                                                                                            |
|-----------------------------------------------------------------|------------------------------------------------------------------------------------------------------------|
| <b>Odour</b>                                                    | no data available                                                                                          |
| <b>Melting point/freezing point</b>                             | 1072oC                                                                                                     |
| <b>Boiling point or initial boiling point and boiling range</b> | 1794°C(lit.)                                                                                               |
| <b>Flammability</b>                                             | no data available                                                                                          |
| <b>Lower and upper explosion limit/flammability limit</b>       | no data available                                                                                          |
| <b>Flash point</b>                                              | no data available                                                                                          |
| <b>Auto-ignition temperature</b>                                | no data available                                                                                          |
| <b>Decomposition temperature</b>                                | no data available                                                                                          |
| <b>pH</b>                                                       | Lanthanides /such as samarium/ are thermodynamically defined as hard Lewis acids (weak electron acceptors) |
| <b>Kinematic viscosity</b>                                      | no data available                                                                                          |
| <b>Solubility</b>                                               | no data available                                                                                          |
| <b>Partition coefficient n-octanol/water</b>                    | no data available                                                                                          |
| <b>Vapour pressure</b>                                          | no data available                                                                                          |
| <b>Density and/or relative density</b>                          | 7.47g/mL at 25°C(lit.)                                                                                     |
| <b>Relative vapour density</b>                                  | no data available                                                                                          |
| <b>Particle characteristics</b>                                 | no data available                                                                                          |

## 10: Stability and reactivity

### 10.1 Reactivity

no data available

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

no data available

### 10.4 Conditions to avoid

no data available

## **10.5 Incompatible materials**

no data available

## **10.6 Hazardous decomposition products**

no data available

# **11: Toxicological information**

## **11.1 Acute toxicity**

Oral: no data available

Inhalation: no data available

Dermal: no data available

## **11.2 Skin corrosion/irritation**

no data available

## **11.3 Serious eye damage/irritation**

no data available

## **11.4 Respiratory or skin sensitization**

no data available

## **11.5 Germ cell mutagenicity**

no data available

## **11.6 Carcinogenicity**

no data available

## **11.7 Reproductive toxicity**

no data available

## **11.8 STOT-single exposure**

no data available

## **11.9 STOT-repeated exposure**

no data available

## **11.10 Aspiration hazard**

no data available



## 12: Ecological information

### 12.1 Toxicity

Toxicity to fish: no data available

Toxicity to daphnia and other aquatic invertebrates: no data available

Toxicity to algae: no data available

Toxicity to microorganisms: no data available

### 12.2 Persistence and degradability

no data available

### 12.3 Bioaccumulative potential

no data available

### 12.4 Mobility in soil

no data available

### 12.5 Other adverse effects

no data available

## 13: Disposal considerations

### 13.1 Disposal methods for waste chemicals

Spontaneously combustible materials must be thoroughly incinerated in a professional incinerator (temperature ? 800°C) under inert gas protection. Materials that release gas when exposed to water must be disposed of in a dry environment, using chemical absorption methods (such as absorbing phosphine with copper sulfate solution) or high-temperature decomposition. Before disposal, ensure that the material is in a stable state and add a stabilizer if necessary.

### 13.2 Precautions

Disposal of materials that release gas when in contact with water is strictly prohibited in humid environments. Disposal sites must be kept away from fire and heat sources. The self-heating temperature of self-igniting materials must be tested before disposal to ensure safety during the disposal process. Operators must wear fire and chemical protection equipment. Gases generated during disposal must be collected and treated to prevent the spread of toxic gases.

## 14: Transport information

### 14.1 UN Number

ADR/RID: UN2910

IMDG: UN2910

IATA: UN2910

## 14.2 UN Proper Shipping Name

ADR/RID: RADIOACTIVE  
MATERIAL, EXCEPTED  
PACKAGE - LIMITED  
QUANTITY OF MATERIAL

IMDG: RADIOACTIVE  
MATERIAL, EXCEPTED  
PACKAGE - LIMITED  
QUANTITY OF MATERIAL

IATA: RADIOACTIVE  
MATERIAL, EXCEPTED  
PACKAGE - LIMITED  
QUANTITY OF MATERIAL

## 14.3 Transport hazard class(es)

ADR/RID: 4.1

IMDG: 4.1

IATA: 4.1

## 14.4 Packing group, if applicable

ADR/RID: III

IMDG: III

IATA: III

## 14.5 Environmental hazards

ADR/RID: no

IMDG: no

IATA: no

## 14.6 Special precautions for user

no data available

## 14.7 Transport in bulk according to IMO instruments

no data available

# 15: Regulatory information

## 15.1 Safety, health and environmental regulations specific for the product in question

| Chemical name                                                      | Common names and synonyms | CAS number | EC number   |
|--------------------------------------------------------------------|---------------------------|------------|-------------|
| Samarium                                                           | Samarium                  | 7440-19-9  | 231-128-7   |
| New Zealand Inventory of Chemicals (NZIoC)                         |                           |            | Listed.     |
| Philippines Inventory of Chemicals and Chemical Substances (PICCS) |                           |            | Listed.     |
| Vietnam National Chemical Inventory                                |                           |            | Not Listed. |
| Australian Inventory of Industrial Chemicals (AIIC)                |                           |            | Not Listed. |
| Catalogue of Strictly Restricted Toxic Chemicals in China          |                           |            | Not Listed. |
| China Catalog of Hazardous chemicals 2015                          |                           |            | Not Listed. |
| European INventory of Existing Commercial chemical Substances      |                           |            | Not Listed. |
| IARC Monographs on the Evaluation of Carcinogenic Risks to Humans  |                           |            | Not Listed. |
| TSCA Inventory of Chemical Substances                              |                           |            | Listed.     |

# 16: Other information

## Information on revision

**SDS Creation Date** July 1, 2025

**SDS Revision Date** July 1, 2025

## Abbreviations and acronyms in SDS

- CAS: Chemical Abstracts Service
- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
- RID: Regulation concerning the International Carriage of Dangerous Goods by Rail
- IMDG: International Maritime Dangerous Goods
- IATA: International Air Transportation Association
- TWA: Time Weighted Average
- STEL: Short term exposure limit
- LC50: Lethal Concentration 50%
- LD50: Lethal Dose 50%
- EC50: Effective Concentration 50%

## SDS References

- IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>
- HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>
- IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>
- eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: [http://www.echemportal.org/echemportal/index?pageID=0&request\\_locale=en](http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en)
- CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>
- ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>
- ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: <http://www.phmsa.dot.gov/hazmat/library/erg>
- Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>
- ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

**Any questions regarding this Safety Data Sheet, Please send your inquiry to [sales@MolBest.com](mailto:sales@MolBest.com)**

---

*Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We as supplier shall not be held liable for any damage resulting from handling or from contact with the above product.*